

FORM TP 2016038



TEST CODE **01254032**

MAY/JUNE 2016

CARIBBEAN EXAMINATIONS COUNCIL

CARIBBEAN SECONDARY EDUCATION CERTIFICATE®
EXAMINATION

ADDITIONAL MATHEMATICS

Paper 032 – General Proficiency

ALTERNATIVE TO SCHOOL-BASED ASSESSMENT

1 hour 30 minutes

READ THE FOLLOWING INSTRUCTIONS CAREFULLY.

1. This paper consists of ONE compulsory question. Answer the given question.
2. Write your answers in the spaces provided in this booklet.
3. Do NOT write in the margins.
4. A list of formulae is provided on page 4 of this booklet.
5. If you need to rewrite any answer and there is not enough space to do so on the original page, you must use the extra page(s) provided at the back of this booklet. **Remember to draw a line through your original answer.**
6. **If you use the extra page(s) you MUST write the question number clearly in the box provided at the top of the extra page(s) and, where relevant, include the question part beside the answer.**

DO NOT TURN THIS PAGE UNTIL YOU ARE TOLD TO DO SO.

Copyright © 2013 Caribbean Examinations Council
All rights reserved.

01254032/F 2016

Barcode Area
Sequential Bar Code

LIST OF FORMULAE

Arithmetic Series $T_n = a + (n - 1)d$ $S_n = \frac{n}{2} [2a + (n - 1)d]$

Geometric Series $T_n = ar^{n-1}$ $S_n = \frac{a(r^n - 1)}{r - 1}$ $S_\infty = \frac{a}{1 - r}$, $-1 < r < 1$ or $|r| < 1$

Circle $x^2 + y^2 + 2fx + 2gy + c = 0$ $(x + f)^2 + (y + g)^2 = r^2$

Vectors $\hat{\mathbf{v}} = \frac{\mathbf{v}}{|\mathbf{v}|}$ $\cos \theta = \frac{\mathbf{a} \cdot \mathbf{b}}{|\mathbf{a}| |\mathbf{b}|}$ $|\mathbf{v}| = \sqrt{(x^2 + y^2)}$ where $\mathbf{v} = x\mathbf{i} + y\mathbf{j}$

Trigonometry $\sin(A \pm B) \equiv \sin A \cos B \pm \cos A \sin B$

$\cos(A \pm B) \equiv \cos A \cos B \mp \sin A \sin B$

$\tan(A \pm B) \equiv \frac{\tan A \pm \tan B}{1 \mp \tan A \tan B}$

Differentiation $\frac{d}{dx} (ax + b)^n = an(ax + b)^{n-1}$

$\frac{d}{dx} \sin x = \cos x$


$\frac{d}{dx} \cos x = -\sin x$

Statistics $\bar{x} = \frac{\sum_{i=1}^n x_i}{n} = \frac{\sum_{i=1}^n f_i x_i}{\sum_{i=1}^n f_i}$, $S^2 = \frac{\sum_{i=1}^n (x_i - \bar{x})^2}{n} = \frac{\sum_{i=1}^n f_i x_i^2}{\sum_{i=1}^n f_i} - (\bar{x})^2$

Probability $P(A \cup B) = P(A) + P(B) - P(A \cap B)$

Kinematics $v = u + at$ $v^2 = u^2 + 2as$ $s = ut + \frac{1}{2} at^2$

GO ON TO THE NEXT PAGE



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

A manufacturing plant wants to minimize the amount of material used to produce paint containers. The project team has the task of designing a container to hold 19 litres (5 gallons) of paint. The team suggests three designs, Design I, Design II and Design III.

- (a) Express the volume of paint in m^3 .

.....

.....

.....

.....

(1 mark)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

GO ON TO THE NEXT PAGE

